Notice of Allowability	Application No.	Applicant(s)	
	10/072,656	PROPHET, ERIC M.	
	Examiner	Art Unit	
	Steven Loke	2811	
The MAILING DATE of this communication appeared All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not include will be mailed in due	ed course. THIS
1. This communication is responsive to amendment filed on 9	<u>)/27/04</u> .		
2. A The allowed claim(s) is/are 1,3-6,11-15,17-20,25,26,39 and	<u>d 40</u> .		
3. The drawings filed on <u>07 February 2002 and 09 June 2003</u>	are accepted by the Examiner.		
 4. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents nave International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. ☐ A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") mus (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date [b) ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the deposation of the properties of the priority of the deposation of the depos	been received. been received in Application No cuments have been received in this r of this communication to file a reply of ENT of this application. itted. Note the attached EXAMINER' bes reason(s) why the oath or declarate of the submitted. son's Patent Drawing Review (PTO-1) s Amendment / Comment or in the One 84(c)) should be written on the drawing the header according to 37 CFR 1.121(c) sit of BIOLOGICAL MATERIAL In	national stage applical complying with the reconstruction is deficient. 948) attached office action of the distance complying with the front (not the distance).	quirements OTICE OF
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal P. 6. Interview Summary Paper No./Mail Dat 7. Examiner's Amendn 8. Examiner's Stateme 9. Other	(PTO-413), e nent/Comment	wance

Application/Control Number: 10/072,656

Art Unit: 2811

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with David B. Murphy on 11/30/04.

The application has been amended as follows:

Claim 1, line 3, change "parallel" to --planar--;

line 4, delete "to";

line 8, change "layer" to --layer,--.

Claim 3, line 1, change "System apparatus" to --capacitor--.

Claim 4, line 1, change "System apparatus" to --capacitor--.

Claim 5, line 1, change "System apparatus" to --capacitor--.

Claim 6, line 1, change "System apparatus" to --capacitor--.

Cancel claims 7-10.

Claim 11, line 1, change "System apparatus" to --capacitor--.

Claim 12, line 1, change "System apparatus" to --capacitor--.

Claim 13, line 3, change "parallel" to --planar--;

line 11, change "touch" to --approach--;

line 12, after "protuberances", insert --disposed on the plate--.

Claim 14, line 1, change "System apparatus" to --capacitor--.

Claim 15, line 1, change "System apparatus" to --capacitor--;

Application/Control Number: 10/072,656

Art Unit: 2811

line 2, change "a bottom electrode" to --said bottom plate--.

Claim 17, line 1, change "System apparatus" to --capacitor--.

Claim 18, line 1, change "System apparatus" to --capacitor--.

Claim 19, line 1, change "System apparatus" to --capacitor--.

Claim 20, line 1, change "System apparatus" to --capacitor--.

Cancel claims 21-24.

Claim 25, line 1, change "System apparatus" to --capacitor--.

Claim 26, line 1, change "System apparatus" to --capacitor--.

Claim 39, line 1, change "System apparatus" to --capacitor--.

Claim 40, line 1, change "System apparatus" to --capacitor--.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Steven Loke whose telephone number is (571) 272-1657. The examiner can normally be reached on 7:50 am to 5:20 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie Lee can be reached on (571) 272-1732. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/072,656

Art Unit: 2811

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

sl

November 30, 2004

Sloven Lette Printary Examples of

Steven Loke

Page 4